PHILIPPINE INFORMATION AGENCY

PIA Bldg, Visayas Avenue, Diliman Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF AIR-CONDITIONING UNITS

APPROVED BUDGET FOR THE CONTRACT: Php 490,000.00

General Conditions:

- 1. Bidding will be conducted through <u>Small Value Procurement</u> under Section <u>53.9</u> of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."
- 2. Suppliers are required to submit the following prior to notification by the BAC of the award:
 - a. Valid & Current Mayor's/Business Permit for 2023;
 - b. Valid & Current PhilGEPS Registration Certificate/Number;
 - c. Income Tax Return (for ABCs above P500K)
 - d. Omnibus Sworn Statement (for ABCs above P50K);
 - e. Bids should be valid for a period of 90 days.
- 3. DELIVERY PERIOD: 15 days upon receipt of P.O.
- 4. The total price quoted is subject to VAT and other applicable taxes and payable check;
- 5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with <u>Lourdes Ng</u> at mobile number <u>0998-588-9433</u>. The Quotation may be submitted through e-mail at <u>lourdes.ng@pia.gov.ph</u> on or before 29 June 2023 (Thursday) at 5:00 PM.

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO

BAC-CHAIRPERSON

ANNEX A

SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY.	UNIT COST (Php)	TOTAL COST (Php)
1	1.5 HP Window Type Inverter Aircon - ABC: Php	64,000.00		
	KV12WR-ARF31A 1.5 HP WINDOW INVERTER			
	AIRCON	2 units		
	Weight: 31.7 kg			
	Dimension: L 67.5 x W 45.06 x H 35 (cm)			
	Key Features:			
	• 1.5 HP, Full DC Inverter			
	Compact Window-type			
,	R32 Refrigerant Eco-friendly			
	Remote Controller			
	Gold Fins			
	Self Diagnosis			
	Silver Ion Anti-bacterial Filter			
	Sleep Mode			
	<u>Technical Specifications:</u>			
	 Cooling Capacity: 12,449 kJ/Hr 			
	 Power Supply: 230 / 60 / 1 V/Hz/Ph 			
	 Rated Power (Min-Max): 1,178 (626 – 1350) W 			
	Rated Current (Min-Max): 5.27 A			
	• EER: 10.57 kJ/W-Hr			
	Star Rating: 5 star			
	• Applicable Area (Unloaded Space): 12 - 21 sqm			
	• Airflow Volume (Hi / Mi / Lo): 374 / 330 / 270			
	СМН			
	 Noise Level (Hi / Mi / Mo): 53.5 / 51 / 46.5 dB (A) 			
	Warranty: 1-year on Part & Labor, 5 Years			
	on Motor			
	- Nothing Follows for	Item No. 1 -		
	Subtotal		Php	
	Page 1 of 3			

Subtotat	1 mp	
Page 1 of 3		
ead, understood and accepted the co	onditions specified	in the
- ·	-	
_		
_		
 ! address		
	Page 1 of 3 ead, understood and accepted the coll Specification and Terms of Reference,	Page 1 of 3 ead, understood and accepted the conditions specified I Specification and Terms of Reference, I/We quote on the

Date

ANNEX A

SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY.	UNIT COST (Php)	TOTAL COST (Php)
2	2.0 HP Window Type Inverter Aircon - ABC: Php	90,000.00		, =,
	KV18WR-ARF31A 2.0 HP WINDOW INVERTER			
	AIRCON	2 units		
	Weight: 53 kg			
	Dimension: L 78 x W 66 x H 42.8 (cm)			
	Key Features:			
	• 2.0 HP, Full DC Inverter			
	Compact Window-type			
	 R32 Refrigerant Eco-friendly 			
	Remote Controller			
	Gold Fins			
	Self Diagnosis			
	Silver Ion Anti-bacterial Filter			
	Sleep Mode			
	Technical Specifications:			
	Cooling Capacity: 18,990 kJ/Hr			
	 Power Supply: 230 / 60 / 1 V/Hz/Ph 			
	• Rated Power (Min-Max): 1,400 (530 – 1,667) W			
	• Rated Current (Min-Max): 6.16 (2.3-7.32) A			
	• EER: 13.56 kJ/W-Hr			
	Star Rating: 5 star			
	Applicable Area (Unloaded Space): 25 – 33 sqm			
	Airflow Volume (Hi / Mi / Lo): 774 / 700 / 636			
	СМН			
	Noise Level (Hi / Mi / Mo): 54.3 / 52.6 / 49.9			
	dB (A)			
	 Warranty: 1-year on Part & Labor, 5 Years on Motor 			
	- Nothing Follows for	Item No. 2 -		-
	Subtotal		Php	
	Page 2 of 3			

аь (A)				
• Warranty: 1-year on Pa on Motor	rt & Labor, 5 Years			
OH MICCOL	- Nothing Follows for Item	m. No. 2 -		
\$	Subtotal		Php	
	Page 2 of 3	<u> </u>		
DELIVERY PERIOD:				
PRICE VALIDITY:				
After having carefully re Request for Quotation, Technical at prices as above-indicated.	ead, understood and accept Specification and Terms of		_	
Printed Name and Signature	_			
Business Name and Address	_			
Telephone/Mobile No. and E-mail	address			
			A DAMIN	-T-001 ray0

ANNEX A

SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY.	UNIT COST (Php)	TOTAL COST (Php)
3	2.5 HP Window Type Inverter Aircon - ABC: Php	336,000.00)	(F)
	KV24WR-ARF31A 2.5 HP WINDOW INVERTER AIRCON	7 units		
	Weight: 53 kg			
	Dimension: L 78 x W 66 x H 42.8 (cm)			
	Key Features:			
	• 2.5 HP, Full DC Inverter			
	Compact Window-type			
	R32 Refrigerant Eco-friendly			
	Remote Controller			
	Gold Fins			
	Self Diagnosis			
	Silver Ion Anti-bacterial Filter			
	Sleep Mode			
	Technical Specifications:			
	Cooling Capacity: 23,210 kJ/Hr			
	Power Supply: 230 / 60 / 1 V/Hz/Ph			
	• Rated Power (Min-Max): 1,800 (760 – 1,956) W			
	Rated Current (Min-Max): 7.89 (3.3-9.0) A			
	• EER: 12.89 kJ/W-Hr			
	Star Rating: 5 star			
	Applicable Area (Unloaded Space): 33 – 42 sqm			
	Airflow Volume (Hi / Mi / Lo): 800 / 713 / 642 CMH			
	 Noise Level (Hi / Mi / Mo): 57.0 / 53.9 / 50.9 dB (A) 			
	Warranty: 1-year on Part & Labor, 5 Years on Motor			
	- Nothing Follows for Item No. 3	(Quotation last p	•	
	Subtotal		Php	
		RAND TOTAL	Php	
	Page 3 of 3			
т	DELIVEDY DEDIOD.			
1	DELIVERY PERIOD:			
F	PRICE VALIDITY:			
	After having carefully read, understood and ac	cented the co	nditions speci	ified in the
F	Request for Quotation, Technical Specification and Terms			
	at prices as above-indicated.		-, 44000 011	200(0)
-	Printed Name and Sianature			

OMIII		1		
Noise Level (Hi / Mi / M dB (A)	(o): 57.0 / 53.9 / 50.9			
Warranty: 1-year on Pa on Motor	art & Labor, 5 Years	-		
	othing Follows for Item No. 3	(Quotation last p	page) -	
	Subtotal		Php	
	•	RAND TOTAL	Php	
•	Page 3 of 3			
DELIVERY PERIOD: PRICE VALIDITY:				
After having carefully re Request for Quotation, Technical at prices as above-indicated.				
Printed Name and Signature	_			
Business Name and Address	_			
Telephone/Mobile No. and E-mail	 address			
Date				

Technical Specifications

Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:

Item		Specification	Statement of Compliance
1	1.5 H	IP Window Type Inverter Aircon	-
		WR-ARF31A 1.5 HP WINDOW INVERTER AIRCO	N – 2 units
	Weigh	t: 31.7 kg	
	Dimer	nsion: L 67.5 x W 45.06 x H 35 (cm)	
	Key F	<u>'eatures:</u>	
	•	1.5 HP, Full DC Inverter	
	•	Compact Window-type	
	•	R32 Refrigerant Eco-friendly	
	•	Remote Controller	
	•	Gold Fins	
	•	Self Diagnosis	
	•	Silver Ion Anti-bacterial Filter	
	•	Sleep Mode	
	Techi	nical Specifications:	
	•	Cooling Capacity: 12,449 kJ/Hr	
	•	Power Supply: 230 / 60 / 1 V/Hz/Ph	
	•	Rated Power (Min-Max): 1,178 (626 – 1350) W	
	•	Rated Current (Min-Max): 5.27 A	
	•	EER: 10.57 kJ/W-Hr	
	•	Star Rating: 5 star	
	•	Applicable Area (Unloaded Space): 12 - 21 sqm	
	•	Airflow Volume (Hi / Mi / Lo): 374 / 330 / 270	
		СМН	
	•	Noise Level (Hi / Mi / Mo): 53.5 / 51 / 46.5 dB	
		(A)	
	•	Warranty: 1-year on Part & Labor, 5 Years	
		on Motor	
		Page 1 of 3	

are true and correct, otherwise	nent of compliance to the forgoing e, if found to be false either during ve rise to automatic disqualification	g bid evaluation or post-
Name of Company/Bidder	Signature Over Printed Name Of Authorized Representative	Date

Technical Specifications

Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:

Item	Specification	Statement of Compliance
2	2.0 HP Window Type Inverter Aircon	·
	KV18WR-ARF31A 2.0 HP WINDOW INVERTER AIRCO	ON – 2 units
	Weight: 53 kg	
	Dimension: L 78 x W 66 x H 42.8 (cm)	
	Key Features:	
	• 2.0 HP, Full DC Inverter	
	Compact Window-type	
	R32 Refrigerant Eco-friendly	
	Remote Controller	
	Gold Fins	
	Self Diagnosis	
	Silver Ion Anti-bacterial Filter	
	Sleep Mode	
	Technical Specifications:	
	 Cooling Capacity: 18,990 kJ/Hr 	
	 Power Supply: 230 / 60 / 1 V/Hz/Ph 	
	• Rated Power (Min-Max): 1,400 (530 – 1,667) W	
	• Rated Current (Min-Max): 6.16 (2.3-7.32) A	
	• EER: 13.56 kJ/W-Hr	
	Star Rating: 5 star	
	Applicable Area (Unloaded Space): 25 – 33 sqm	
	Airflow Volume (Hi / Mi / Lo): 774 / 700 / 636 CMH	
	 Noise Level (Hi / Mi / Mo): 54.3 / 52.6 / 49.9 dB (A) 	
	Warranty: 1-year on Part & Labor, 5 Years on Motor	
	Page 2 of 3	·

1 436 2 0) 5	
ement of compliance to the forgoing to se, if found to be false either during b give rise to automatic disqualification	bid evaluation or post-
Signature Over Printed Name Of Authorized Representative	Date
	ement of compliance to the forgoing to se, if found to be false either during begive rise to automatic disqualification Signature Over Printed Name

Technical Specifications

Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:

Item	Specification	Statement of Compliance
3	2.5 HP Window Type Inverter Aircon	-
	KV24WR-ARF31A 2.5 HP WINDOW INVERTER AIRCO	N – 7 units
	Weight: 53 kg	
	Dimension: L 78 x W 66 x H 42.8 (cm)	
	Key Features:	
	• 2.5 HP, Full DC Inverter	
	Compact Window-type	
	R32 Refrigerant Eco-friendly	
	Remote Controller	
	• Gold Fins	
	Self Diagnosis	
	Silver Ion Anti-bacterial Filter	
	Sleep Mode	
	<u>Technical Specifications:</u>	
	 Cooling Capacity: 23,210 kJ/Hr 	
	 Power Supply: 230 / 60 / 1 V/Hz/Ph 	
	• Rated Power (Min-Max): 1,800 (760 – 1,956) W	
	 Rated Current (Min-Max): 7.89 (3.3-9.0) A 	
	• EER: 12.89 kJ/W-Hr	
	Star Rating: 5 star	
	• Applicable Area (Unloaded Space): 33 - 42 sqm	
	• Airflow Volume (Hi / Mi / Lo): 800 / 713 / 642	
	СМН	
	Noise Level (Hi / Mi / Mo): 57.0 / 53.9 / 50.9	
	dB (A)	
	Warranty: 1-year on Part & Labor, 5 Years on Motor	
	Page 3 of 3	1

	ement of compliance to the forgoing t se, if found to be false either during 1	-
qualification, the same shall g	give rise to automatic disqualification	of our bid.
Name of Company/Bidder	Signature Over Printed Name Of Authorized Representative	Date