

PHILIPPINE INFORMATION AGENCY
PIA Bldg, Visayas Avenue, Diliman Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF VARIOUS AUDIO AND VISUAL SUPPLIES
AND ACCESSORIES

APPROVED BUDGET FOR THE CONTRACT: **Php 82,940.00**

General Conditions:

1. Bidding will be conducted through Small Value Procurement under Section 53.9 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."
2. Suppliers are required to submit the following prior to notification by the BAC of the award:
 - a. Valid & Current Mayor's/Business Permit for 2023;
 - b. Valid & Current PhilGEPS Registration Certificate/Number;
 - c. Income Tax Return (for ABCs above P500K)
 - d. Omnibus Sworn Statement (for ABCs above P50K);
 - e. Bids should be valid for a period of 90 days.
3. DELIVERY PERIOD: 30 days
4. The total price quoted is subject to VAT and other applicable taxes and payable check;
5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Paul John Delos Santos at mobile number 0985-3050-095. The Quotation may be submitted through e-mail at paul.delossantos@pia.gov.ph.

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO
BAC-CHAIRPERSON

SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY	UNIT COST (Php)	TOTAL COST (Php)
	Supplies and Accessories			
1	-Tweeter Voice Coil (KRX-615, 800 watts)	6 pcs		
2	-Paging Microphone (Electro Chime Mic EC-100M) Specifications: <ul style="list-style-type: none"> - Power Requirements 3VC DC (SUM-2 x 2 pcs) - Current Consumption 2ma during chime & microphone operation, 10μ at no operation - Chime Unit Series of 4 notes/ Frequencies: 442,553,660,and 883Hz - Unidirectional dynamic type - Output: Chime signal: -45dBv max 600Ω (unbalance) at 1kHz 0dB=1V/pa (phone jack) - Color: Metallic Gold (Stand Base) - W:0.77Kg, D:112 x 293 x 150mm - Accessory 2m Cable with phone to phone plug 	1 unit		
3	-Handheld Wireless Microphone (GDX-60 Rechargeable Wireless Handheld Microphone) <ul style="list-style-type: none"> - Frequency Range: UHF 636-695.7MHz band - A Channel:636-665.7MHz (100 frequency points) - B Channel: 666-695.7MHz (100 frequency points) - Oscillator mode DSP chip frequency lock - Frequency stability ± 10ppm Rf power 10dBm - Sound Frequency:40-18000Hz Distortion <0.5% - Battery: 3.7v/14650 lithium battery renew for about 10 hrs. 	2 pcs		
4	-Telephone Cable (2 pairs wire) Copper roll (100meters)	1 roll		
5	-Telephone Modular Box (standard)	12 pcs		
6	-Telephone Modular Jack (standard)	50 pcs		
7	-Audio System Cable (heavy duty) 100mtrs/roll	1 roll		
8	-RCA Connector – Male/Female (heavy duty)	12 pcs		
9	-Stereo 3.5mm PL Baby Plug Headset Heavy Duty Earphones Headphones Connector	24 pcs		

10	-US Scientific E-60 HDMI Extender	1 pc		
11	-HDMI Hub (5-in-1-out) with Remote	2 units		
12	-HDMI – 382 – 10 HDMI Cable (3 meters)	2 pcs		
13	-HDMI – 563 – 15 HDMI Cable (4.5 meters)	2 pcs		
14	-HDMI – 382 – 35 HDMI Cable (10 meters)	2 pcs		
15	-Soldering Iron (heavy duty)	2 pcs		
16	-Soldering Lead 60/40	3 pcs		
17	-Soldering Paste (RL-UV424-OR)	3 pcs		
18	-Size AA Rechargeable Battery Ni-MH 1.9Ah, 1.2V (-5 → +50°C)	2 sets		
19	-Microphone Cable (copper made) 100mtrs/roll	1 roll		

DELIVERY PERIOD: 30 days upon receipt of Purchase Order

PRICE VALIDITY:90 days

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

Printed Name and Signature

Business Name and Address

Telephone/Mobile No. and E-mail address

Date

Technical Specifications

Note: Bidders must state either “**Comply**” or “**Not Comply**” in the column “Statement of Compliance” against each of the individual parameters of each Specification:

Item	Specification	Statement of Compliance
	Supplies and Accessories	
1	-Tweeter Voice Coil (KRX-615, 800 watts)	
2	-Paging Microphone (Electro Chime Mic EC-100M) Specifications: <ul style="list-style-type: none"> - Power Requirements 3VC DC (SUM-2 x 2 pcs) - Current Consumption 2ma during chime & microphone operation, 10μ at no operation - Chime Unit Series of 4 notes/ Frequencies: 442,553,660,and 883Hz - Unidirectional dynamic type - Output: Chime signal: -45dBv max 600Ω (unbalance) at 1kHz 0dB=1V/pa (phone jack) - Color: Metallic Gold (Stand Base) - W:0.77Kg, D:112 x 293 x 150mm - Accessory 2m Cable with phone to phone plug 	
3	-Handheld Wireless Microphone (GDX-60 Rechargeable Wireless Handheld Microphone) <ul style="list-style-type: none"> - Frequency Range: UHF 636-695.7MHz band - A Channel:636-665.7MHz (100 frequency points) - B Channel: 666-695.7MHz (100 frequency points) - Oscillator mode DSP chip frequency lock - Frequency stability ±10ppm Rf power 10dBm - Sound Frequency:40-18000Hz Distortion <0.5% - Battery: 3.7v/14650 lithium battery renew for about 10 hrs. 	
4	-Telephone Cable (2 pairs wire) Copper roll (100meters)	
5	-Telephone Modular Box (standard)	
6	-Telephone Modular Jack (standard)	
7	-Audio System Cable (heavy duty) 100mtrs/roll	
8	-RCA Connector – Male/Female (heavy duty)	
9	-Stereo 3.5mm PL Baby Plug Headset Heavy Duty Earphones Headphones Connector	
10	-US Scientific E-60 HDMI Extender	
11	-HDMI Hub (5-in-1-out) with Remote	

12	-HDMI – 382 – 10 HDMI Cable (3 meters)	
13	-HDMI – 563 – 15 HDMI Cable (4.5 meters)	
14	-HDMI – 382 – 35 HDMI Cable (10 meters)	
15	-Soldering Iron (heavy duty)	
16	-Soldering Lead 60/40	
17	-Soldering Paste (RL-UV424-OR)	
18	-Size AA Rechargeable Battery Ni-MH 1.9Ah, 1.2V (-5 → +50°C)	
19	-Microphone Cable (copper made) 100mtrs/roll	

I hereby certify that the statement of compliance to the forgoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature Over Printed Name
Of Authorized Representative

Date



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 10139695
Procuring Entity PHILIPPINE INFORMATION AGENCY
Title Supply and Delivery of Various Audio and Visual Supplies and Accessories
Area of Delivery Metro Manila

Solicitation Number:	23-08-072	Status	In-Preparation
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Audio and Visual Equipment		
Approved Budget for the Contract:	PHP 82,940.00	Document Request List	0
Delivery Period:			
Client Agency:		Date Published	18/09/2023
Contact Person:	Paul John Hechanova Delos Santos Administrative Assistant III Visayas Avenue, Diliman, Quezon City Metro Manila Philippines 1128 63-2-9204338 paul.delossantos@pia.gov.ph	Last Updated / Time	17/09/2023 01:08 AM
		Closing Date / Time	26/09/2023 05:00 AM

Description

PHILIPPINE INFORMATION AGENCY
PIA Bldg, Visayas Avenue, Diliman Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF VARIOUS AUDIO AND VISUAL SUPPLIES AND ACCESSORIES

APPROVED BUDGET FOR THE CONTRACT: Php 82,940.00

General Conditions:

1. Bidding will be conducted through Small Value Procurement under Section 53.9 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."

2. Suppliers are required to submit the following prior to notification by the BAC of the award:

a. Valid & Current Mayor's/Business Permit for 2023;

- b.Valid & Current PhilGEPS Registration Certificate/Number;
- c.Income Tax Return (for ABCs above P500K)
- d.Omnibus Sworn Statement (for ABCs above P50K);
- e.Bids should be valid for a period of 90 days.

3.DELIVERY PERIOD: 30 days

4.The total price quoted is subject to VAT and other applicable taxes and payable check;

5.Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Paul John Delos Santos at mobile number 0985-3050-095. The Quotation may be submitted through e-mail at paul.delossantos@pia.gov.ph.

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO
BAC-CHAIRPERSON

ANNEX A SUPPLIER'S QUOTATION

ITEM NO.
DESCRIPTION QTY UNIT COST (Php) TOTAL COST (Php)

Supplies and Accessories

1. Tweeter Voice Coil (KRX-615, 800 watts) 6 pcs

2. Paging Microphone 1 unit
(Electro Chime Mic EC-100M)

Specifications:

- Power Requirements: 3VC DC (SUM-2 x 2 pcs)
- Current Consumption: 2ma during chime & microphone operation, 10μ at no operation
- Chime Unit: Series of 4 notes/ Frequencies: 442,553,660,and 883Hz
- Unidirectional dynamic type
- Output:Chime signal: -45dBv max 600Ω (unbalance) at 1kHz 0dB=1V/pa (phone jack)
- Color: Metallic Gold (Stand Base)
- W:0.77Kg, D:112 x 293 x 150mm
- Accessory: 2m Cable with phone to phone plug

3. Handheld Wireless Microphone 2 pcs.
(GDX-60 Rechargeable Wireless Handheld Microphone)

- Frequency Range: UHF 636-695.7MHz band
- A Channel:636-665.7MHz (100 frequency points)
- B Channel: 666-695.7MHz (100 frequency points)
- Oscillator mode DSP chip frequency lock
- Frequency stability ±10ppm Rf power 10dBm
- Sound Frequency:40-18000Hz Distortion <0.5%
- Battery: 3.7v/14650 lithium battery renew for about 10 hrs.

4. Telephone Cable (2 pairs wire) Copper roll (100meters) 1 roll

5. Telephone Modular Box (standard) 12 pcs.

6. Telephone Modular Jack (standard) 50 pcs.

7. Audio System Cable (heavy duty) 100mtrs/roll 1 roll

8. RCA Connector – Male/Female (heavy duty) 12 pcs.
9. Stereo 3.5mm PL Baby Plug Headset Heavy Duty Earphones Headphones Connector 24 pcs.
10. US Scientific E-60 HDMI Extender 1
11. HDMI Hub (5-in-1-out) with Remote 2 units
12. HDMI – 382 – 10 HDMI Cable (3 meters) 2 pcs .
13. HDMI – 563 – 15 HDMI Cable (4.5 meters) 2 pcs.
14. HDMI – 382 – 35 HDMI Cable (10 meters) 2 pcs.
15. Soldering Iron (heavy duty) 2 pcs.
16. Soldering Lead 60/40 3 pcs.
17. Soldering Paste (RL-UV424-OR) 3 pcs.
18. Size AA Rechargeable Battery Ni-MH 1.9Ah, 1.2V (-5 → +50°C) 2 sets
19. Microphone Cable (copper made) 100mtrs/roll 1 roll

DELIVERY PERIOD: 30 days upon receipt of Purchase Order

PRICE VALIDITY:90 days

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

Printed Name and Signature

Business Name and Address

Telephone/Mobile No. and E-mail address

Date

Technical Specifications

Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:
Item Specification Statement of Compliance

Supplies and Accessories

1. Tweeter Voice Coil (KRX-615, 800 watts)

2. Paging Microphone
(Electro Chime Mic EC-100M)

Specifications:

- Power Requirements: 3VC DC (SUM-2 x 2 pcs)
- Current Consumption: 2ma during chime & microphone operation, 10μ at no operation
- Chime Unit: Series of 4 notes/ Frequencies: 442,553,660,and 883Hz
- Unidirectional dynamic type
- Output:Chime signal: -45dBv max 600Ω (unbalance) at 1kHz 0dB=1V/pa (phone jack)
- Color: Metallic Gold (Stand Base)
- W:0.77Kg, D:112 x 293 x 150mm
- Accessory: 2m Cable with phone-to-phone plug

3. Handheld Wireless Microphone
(GDX-60 Rechargeable Wireless Handheld Microphone)

- Frequency Range: UHF 636-695.7MHz band
- A Channel:636-665.7MHz (100 frequency points)
- B Channel: 666-695.7MHz (100 frequency points)
- Oscillator mode DSP chip frequency lock
- Frequency stability $\pm 10\text{ppm}$ Rf power 10dBm
- Sound Frequency:40-18000Hz Distortion <0.5%
- Battery: 3.7v/14650 lithium battery renew for about 10 hrs.
- 4. Telephone Cable (2 pairs wire) Copper roll (100meters)
- 5. Telephone Modular Box (standard)
- 6. Telephone Modular Jack (standard)
- 7. Audio System Cable (heavy duty) 100mtrs/roll
- 8. RCA Connector – Male/Female (heavy duty)
- 9. Stereo 3.5mm PL Baby Plug Headset Heavy Duty Earphones Headphones Connector
- 10. US Scientific E-60 HDMI Extender
- 11. HDMI Hub (5-in-1-out) with Remote
- 12. HDMI – 382 – 10 HDMI Cable (3 meters)
- 13. HDMI – 563 – 15 HDMI Cable (4.5 meters)
- 14. HDMI – 382 – 35 HDMI Cable (10 meters)
- 15. Soldering Iron (heavy duty)
- 16. Soldering Lead 60/40
- 17. Soldering Paste (RL-UV424-OR)
- 18. Size AA Rechargeable Battery Ni-MH 1.9Ah, 1.2V (-5 \rightarrow +50°C)
- 19. Microphone Cable (copper made) 100mtrs/roll

I hereby certify that the statement of compliance to the forgoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder Signature Over Printed Name Date
Of Authorized Representative

Created by Ronelio N Hernandez
Date Created 17/09/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.